

Name: _____

Date: _____

HCMC ACLS Presentations Quiz

Attention: View the presentations available at:

http://www.hcmc.org/education/emsed/Precourse/inhouse_staff_ACLSR.asp

The textbook is available from the Health Sciences Library. View the lectures and complete the following quiz. Bring this completed quiz with you to class.

Thank you.

Acute Coronary Syndromes, ACS:

Complete the definition of the MONA memory aid.

M _____
O _____
N _____
A _____

Immediate actions for ACS would include:

(you may choose more than one)

1. ABC's
2. Establish IV
3. EKG, 12 lead
4. Obtain initial cardiac markers
5. All of the above

Who is the greatest group of people who deny their symptoms and stay at home with their MI?

1. Men
2. Women
3. Teenagers
4. Health care workers

True or False (circle one)

HCMC Paramedics can and will activate the cath lab from the field?

TRUE FALSE

A normal EKG can rule out an AMI?

TRUE FALSE

Pulseless Electrical Activity, PEA:

PEA by definition means:

1. Weak pulse and bizarre EKG findings
2. No pulse and bizarre EKG findings
3. No pulse and no EKG findings
4. Strong pulse and no EKG findings

Treatment for Hypovolemia is to fill the tank. In the trauma patient what should we use to fill the tank?

1. Saline
2. D5
3. Blood
4. Hypotonics

Treatment for the hypovolemic shock patients would include:
(you may choose more than one answer)

1. Discover the source of blood loss
2. Notify a staff physician
3. Control external bleeding
4. All of the above

True or False (circle one)

The hypothermic patient is not dead until they are warm and dead.

TRUE FALSE

Treatment for a tension pneumothorax is to place an IV needle in the fourth intercostals space mid-clavicle space.

TRUE FALSE

Acute Stroke, CVA

The Cincinnati Prehospital Stroke Scale includes all of the following except:

1. Facial droop
2. Eye gaze
3. Arm drift
4. Abnormal speech

Fibrinolytic therapy should not be considered for which of the following BP findings?

1. 178/09
2. 180/100
3. 170/98
4. 188/120

True or False (circle one)

African Americans and women have a greater risk of stroke than other people.

TRUE FALSE

You must give fibrinolytics within the four hour time window.

TRUE FALSE